

Technical Sheet 1–2–3 Mosquito Control

How to Control Mosquitoes in and Around Buildings



www.kiwicare.co.nz

Kiwicare 1-2-3 Mosquitoes Control Programme

About Mosquitoes

Mosquitoes and sand flies bite us and suck our blood giving rise to itchy swollen lumps on our skin. There is little or no evidence that mosquitoes transmit disease in New Zealand as they do in other parts of the world. But they are annoying pests and cause considerable discomfort when we are enjoying New Zealand's open air lifestyle.

Mosquitoes breed in still water. This can be as simple as a puddle that has remained for a few days. Adult mosquitoes are often most active at dusk and around areas of some shade.

Adult mosquitoes have long narrow bodies and wings held together above the abdomen when not in flight. Note: some other insects can be easily mistaken for mosquitoes, midges (Lake Flies) and Crane Flies among them.

How to Stop Mosquitoes

1. SEARCH

Search for and drain, or treat, any pooled water breeding sites such as containers, puddles, drains etc.





2. SPRAY

Spray breeding sites and surfaces that Mosquitoes land on around the exterior with Kiwicare NO Bugs Super Protective Barrier Spray.



3. REPEL

Stop Mosquitoes entering the house by using Kiwicare NO Mosquitoes Plug-In Mosquito Repeller.



For Best Results

- Be pro-active; treat before mosquitoes become a problem.
- See <u>Kiwicare.co.nz</u> for more information on fly control.
- See also the <u>Insect Guard Fly Control System</u>

Caution

 NO Bugs Super - Keep all animals out of the area being treated during treatment and until all sprays have dried completely.

Last Updated: October 2019

Kiwicare.co.nz

For information, advice and our interactive problem solver

Kiwicare Corporation Limited
225 Maces Road, Bromley, Christchurch
Phone (03) 389-0778