

Technical Sheet NO Borer Total Wood Protection

Penetrates and Protects From Wood Boring Insects

www.kiwicare.co.nz

NO Borer Total Wood Protection

Benefits and Features

- <u>NO Borer Wood Protection</u> protects wood from damage caused by all wood boring insects.
- Water based with oils and surfactants.
- Penetrates deep into wood for long lasting protection.
- No solvent smell.
- Available as water soluble concentrate and ready to use.

Controls

- Common borer (woodworm)
- Native borer
- Two-tooth borer
- Other wood boring insects

Directions

- Concentrate
 - 1. Shake well before use.
 - 2. Dilute 100 ml concentrate per 1 Litre of water*.
 - 3. Brush or spray liberally onto all unsealed timbers.
 - 4. For longest protection apply a second coat after the first has soaked in (usually 2-6 hours).
 - 5. Use entire contents of diluted mix within 48 hours.

*Can be mixed with 'traditional' solvents, e.g. turpentine or kerosene, for longest lasting protection.

Ready to Use

- 1. Shake well before use.
- 2. Using pinch and twist motion, adjust spray nozzle to SPRAY position.
- 1. Hold applicator 30-40 cm from the area to be treated.
- 2. Pump the trigger firmly and spray liberally onto all unsealed timbers.
- 3. Turn nozzle to STOP/OFF position after use.
- 4. For longest protection apply a second coat after the first has soaked in (usually 2-6 hours).





www.kiwicare.co.nz

For Best Results

Use as part of the Kiwicare <u>1-2-3 Borer Control Programme</u>.



- 1. PROTECT: Using Kiwicare NO Borer Total Wood Protection on bare wood and NO Borer Spray Injector on coated/painted wood.
- 2. FUMIGATE: Knock down adult beetles before they mate and re-infest wood with Kiwicare NO Borer Fumigator.
- **3. VENTILATE AND DRY:** Ensure that your sub-floor and roof spaces are dry and well ventilated to prevent further Borer. Check for plumbing leaks and unblock all air vents.
- For decorative wood items we recommend testing an inconspicuous area first.
- Areas of high UV light may require treatment again after 5 years.
- Hard surface treatment only, do not spray into air.
- See Kiwicare.co.nz for more information on borer control.

Active Ingredients

Concentrate: 10 g/L Permethrin as a water-soluble concentrate.

HSNO Approval Number: HSR101164.

Ready to Use: 1.0 g/L Permethrin as a ready to use liquid.

HSNO Approval Number: HSR101165.

Caution

Keep out of the reach of children. Not to be applied to food or food preparation surfaces. Keep children and animals out of the treated areas until spray is dry.

Available As

500 ml concentrate, 680 ml ready to use trigger spray.

Complementary Products

- <u>NO Borer Spray Injector</u>
- <u>NO Bugs Super Fumigator</u>

Last Updated: March 2018

Kiwicare.co.nz

For information, advice and our interactive problem solver

Kiwicare Corporation Limited 225 Maces Road, Bromley, Christchurch Phone (03) 389-0778