READ LABEL BEFORE USE WARNING: Keep out of reach of children.



Weed Weapon Long Term **Commercial Concentrate**

Kills weeds fast and prevents regrowth for up to 12 months.

5 L



10 L



20 L



Developed and tested for commercial and professional use in New Zealand conditions.

Proudly New Zealand made.

CONTAINS: 300 g/L Terbuthylazine, 141 g/L Glyphosate and 1.43 g/L Saflufenacil.

HSNO Approval Code: HSR100934

HSNO Classifications: 6.1E, 6.3A, 6.4A, 6.8B, 9.1A, 9.2A, 9.3C

Kiwicare Corporation Limited, 225 Maces Road, Christchurch, New Zealand. Ph: 64 3 389 0778

- Ideal for the control of weeds in non-cultivated areas where weeds need to be suppressed for extended periods i.e. roadsides,
- roadside furniture, driveways, paths, railyards, railway tracks and fence lines. · Pre-emergent and post-emergent herbicide.
- · Up to 1-year weed suppression.
- · Rain-fast in 2 hours.

DIRECTIONS

THOROUGHLY SHAKE OR AGITATE CONTAINER PRIOR TO DECANTING.

Knapsack and Gun application: Use conventional application equipment capable of achieving complete coverage of target plants. Use sufficient pressure to penetrate the weed mass so that spray reaches substrate below.

Knapsack: Each litre of spray mix should treat 10 m². Handgun: 100 litres of spray should treat 1000 m².

Boom spraying: Apply with coarse fan nozzles. Boom height should be set so a double overlap of nozzle pattern is achieved at the top of the target plants. Ensure that the coverage penetrates through the canopy of the plant so that spray reaches substrate below. Ensure substrate is evenly wetted.

Pre-emergent weed control in deep gravel or ballast: Use in conjunction with Weed Weapon Preventer Granules.

First apply Weed Weapon Preventer Granules at 2 kg per 100 m² (100 kg/ha).

Then apply Weed Weapon Long Term at the recommended rates below, ensuring liquid reaches soil below gravel/ballast by applying at 20 L water per 100 m² (2,000 L/ha).

Application Rates

| Environment | Critical Comments |
|--|--|
| Non-cropland (long-term residual control in industrial areas, roadsides, rail, yards, driveways, fencelines, etc.) | Mix in sufficient water to obtain even coverage. Do not apply under drought conditions. Highest rates should be used where weed cover is extensive and maximum hold is required. |
| Application Rates | Knapsack (ml/L) 20-50 ml; Handgun (L/100L) 2.0-5.0 L; Boom (L/Ha) 15-20 L |
| Tree Rings (not registered for use in or around food crops) | Do not allow the spray mixture to contact any desirable foliage or green bark. Apply in spring or autumn as a directed spray. Highest rates should be used where weed cover is extensive and maximum hold is required. |
| Application Rates | Knapsack (ml/L) 20-25 ml; Handgun (L/100L) 2.0 -2.5 L; Boom (L/Ha) 10 -20 L |
| Forestry (long-term weed control) | Apply prior to spring growth. Use the higher rate where longer residual activity is required. Apply with sufficient water to obtain good coverage. |
| Application Rates | Knapsack (ml/L) 50 ml; Handgun (L/100L) 5.0 L; Boom (L/Ha) 20 L |

For Best Results

- Apply in dry conditions when rain is not expected for 2 hours
- Complete coverage is required for effective control
- · Do not apply to desirable plants or turf as this is a non-selective and pre-emergent herbicide
- Can be used with a spray marker dye
- · When applying to gravel/ballast do not apply in very hot sunny conditions when the stones/gravel are hot.

This product must be under the personal control of an handler when applied in a wide and dispersive manner or used by a commercial operator

Warning: May be harmful through oral, dermal and inhalation route. May cause skin and eye irritation. Suspected of damaging fertility or the unborn child.

Precautions: Wear waterproof gloves and eye protection when mixing and spraying and wash hands after use. Avoid skin contact and inhalation of spray. Rinse equipment thoroughly after use and dispose of surplus spray and washings well away from susceptible plants. Do not eat, drink or smoke when applying product.

First Aid: If swallowed rinse mouth and drink 1 - 2 glasses of water or milk. Do not induce vomiting. If spilled on skin, wash with soap and water. Seek medical advice or contact the National Poisons Centre on 0800 764 766 and have product label at hand.

Environmental Care: This product is very toxic to aquatic and soil environments. Harmful to terrestrial vertebrates. Collect any spillage. This substance must not be applied into, onto or over water.

Storage/Disposal: Store in original container in a cool dark place away from children and foodstuffs. Triple rinse and dispose of container in the garbage

As Kiwicare Corporation Limited has no control over the storage or use of this product, no liability is accepted for accidents or damage arising from the incorrect storage or use of this product.





