

WARNING: Keep out of reach of children.

KIWICARE®

Deltamethrin 15 SC

Long term, residual insect control.

1 L



5 L



Developed and tested for commercial and professional use in New Zealand conditions

Proudly New Zealand made

CONTAINS: 15g/litre Deltamethrin in the form of a suspension concentrate.

Approved Handler: This product must be under the personal control of an approved handler when applied in a wide and dispersive manner or used by a commercial operator. Tracking of this substance is required.

HSNO Approval Code: HSR100764

HSNO Classifications: STOT RE.2, Aquatic Acute 1, Aquatic Chronic 1, Hazardous to terrestrial vertebrates and invertebrates.

Approved Maintenance Compound (Non-Dairy) - Type B

Kiwicare Corporation Limited, 225 Maces Road, Christchurch, New Zealand. Ph: 64 3 389 0778

Pest	Rate
General	50 - 100 ml/100 m ² Use the higher rate when pest pressure is high or conditions warrant it.
Ants, Carpet Beetles, Clothes Moth, Mosquitoes and Flies, Silverfish, Spiders, Stored Product Insects and General Crawling Insects	50 - 100 ml/100 m ²
Bed Bugs and Cockroaches (We recommend: Kiwicare Permethrin + IGR Commercial Concentrate).	100 ml/100 m ²
Fleas (We recommend: Kiwicare Permethrin + IGR Commercial Concentrate).	70 - 100 ml/100 m ²

Non-porous surfaces: dilute with up to 5 L of water per 100 m², do not exceed the point of run-off.

Porous surfaces: dilute with up to 10 L of water per 100 m² of surface, do not exceed the point of run-off.



READ LABEL BEFORE USE

Directions

Application Methods: Kiwicare Deltamethrin 15 SC is a suspension concentrate formulation intended to be applied diluted, as a long term hard surface spray. A range of different types of application equipment may be used to apply it. Calibrate equipment to deliver the target rates indicated in the directions for use. If misting application equipment is used users should be aware of the greater potential for off-target drift with use of finer droplets. Protect non-target surfaces from spray drift.

Pressure spray equipment - for most pressure spray equipment the dilution rate will be 10-30 ml/L.

Precautions: Do not breath in the substance. Eye and face protection should be worn when using the substance. Avoid prolonged or repeated contact with skin. Wear gloves and wash exposed skin after use. Do not spray electric motors or switchgear with the water-based product. Avoid contact with food, food utensils or surfaces on which food is prepared. Before Use - Remove or cover all exposed foodstuffs, food equipment and preparation surfaces. Remove, or cover and turn off pumps, of all fish tanks. After Use - Thoroughly ventilate treated areas. Wash down all food contact surfaces.

Application to Carpets: Carpets are regarded as porous surfaces; however, non-porous surface rate should be adopted if possible. For short pile carpet, the 5 L of water/100m² should be sufficient. However, for long pile or shag carpet, the 10 L of water/100m² may be required to ensure effective penetration and application to all the carpet-pile. A small, inconspicuous area of carpet should be sprayed and allowed to dry to ensure that staining will not occur.

Preparation: Clean down dusty or greasy surfaces before application. Allow to dry before application. See Precautions regarding food, food preparation areas and fish tanks.

Warning: May cause damage to organs through prolonged or repeated oral exposure. Very toxic to aquatic life with long lasting effects. Hazardous to terrestrial vertebrates and invertebrates.

First Aid: If swallowed rinse mouth and drink 1 - 2 glasses of water or milk. Do not induce vomiting. If eye contact occurs, flush eyes with running water for 15 minutes. If spilled on skin, wash with soap and water. If you are feeling unwell seek medical advice or contact the National Poisons Centre on 0800 764 766 and have product label at hand.

Environmental Care: Collect spillage. Do not contaminate drains, sewers or waterways. **Do not apply directly onto or into water. This substance must not be applied onto bees, beehives, bee nests or when bees are foraging in the area where it is to be applied.**

Storage/Disposal: Store in original container in a cool, dry, ventilated place, away from direct heat of sunlight. Store away from foodstuffs, children and animals. Rinse container and dispose to landfill or recycling where allowed. Do NOT burn or reuse container.

As Kiwicare Corporation Limited has no control over the storage or use of this product, no liability is accepted for accidents or damage arising from the incorrect storage or use of this product.

It is an offence to use this product on animals.