

KIWICARE®



LawnPro Turfclean Ultra

For the fast control of broadleaf weeds in lawns

www.kiwicare.co.nz

Background

[LawnPro Turfclean Ultra](#) is a **fast-acting** lawn weed killer that controls the broadest range of lawn weeds. The combination of 4 active ingredients is balanced to ensure all the most common weeds in New Zealand lawns are controlled with no risk of burning the fine lawn grasses grown as lawns in New Zealand.

Benefits and Features

- Multi action formula – systemic actives work together to control all the common broadleaf lawn weeds.
- Curative – Kills existing broadleaf weeds, dandelion, clover, Hydrocotyle, Onehunga, selfheal, speedwell, oxalis, daisies, dock, plantain and many more.
- Preventative – continues activity in the soil to suppress growth of weeds and moss for an extended period.
- Unlike similar products the balance of actives has been selected to reduce the risk of burn to fine turf grasses used in New Zealand lawns.
- Can also be used for control of woody weeds.
- Expect visible effects within 2 days.

Controls

- Broadleaf weeds including [dandelions](#), [daisies](#), [clover](#), [chickweed](#), [Onehunga](#), [dock](#), [plantain](#), [speedwell](#), [thistles](#), [selfheal](#) and many others.

Directions

1. Shake well.
2. Apply using pressure sprayer.

For lawns:

1. For use on established healthy lawns dilute 10 ml with 1 L water (50 ml in 5 litres) or 8ml into 1 L (40 ml in 5 litres) for lawn in stress.
2. 1 litre diluted spray covers 10 m² lawn.

Tough or woody weeds:

1. For use on tough or woody weeds dilute 20 ml with 1 L water (100 ml in 5 litres) (do not spray lawns)
2. Use entire contents of diluted mix within 48 hours.
3. Thoroughly triple rinse pressure sprayer after use.
4. After applying, wait at least 7 days before mowing.

Tips

- Mow 2-3 days before application with the mower height raised a notch or two above normal. This gives time for the cut grass to 'heal' and leaves the weed foliage for the herbicide to act on.
- Hold off mowing after application for 2 weeks. If the lawn 'needs' mowed sooner raise the mower height a notch or two above normal so as not to remove the weed foliage.
- Best applied early morning or late evening in still conditions
- Apply during Spring and Autumn when weeds are actively growing
- Avoid applying if lawn is under stress or suffering from drought
- Do not apply if rain is expected within 2 hours
- Fastest results achieved in warm, sunny conditions
- Avoid applying in temperatures below 10°C and above 30°C.
- Use Kiwicare '[Dye & Stick](#)' for improved performance and to help track areas sprayed

Available As

- Concentrate: 200 ml, 400 ml, 800 ml.

Active Ingredients

Concentrate: 148.4 g/L 2,4-D EHE; 39.1 g/L Fluroxypyr-MHE; 30.0 g/L Triclopyr BEE; 2.5 g/L Carfentrazone-ethyl.

Caution

- New Lawns – do not apply for the first 3 months
- Some burning may occur on fine turf grasses
- If composting lawn clippings, do not use compost for six months
- Safe for children and pets once dry
- Do not use on cotula, dichondra or buffalo lawns or lawns where clover is being encouraged
- Be careful not to spray on desirable plants as damage will occur. If desirable plants are sprayed, immediately hose off with water

• Regulations

- HSNO Approval code: HSR101418

Last Updated: November 2020

Kiwicare.co.nz

For information, advice and our interactive
problem solver

Kiwicare Corporation Limited

225 Maces Road, Bromley, Christchurch
Phone (03) 389-0778