


KIWICARE®



Organic Caterpillar Bio-Control

Bacillus thuringiensis kurstaki

The safe effective organic way to control caterpillar pests on plants including fruit and vegetables


www.kiwicare.co.nz

Organic Caterpillar Bio-Control

Btk - Natural caterpillar insect pest control for organic growers.

Benefits and Features

- Organic control of caterpillars on fruit, vegetables, ornamentals and lawns.
- Does not affect plants or beneficial insects.
- No withholding period.
- BioGro® Certified Organic for use in organic gardening.
- Easy to use; 4 pre-measured sachets, each making 5 Litres.



Controls

- Caterpillars (Lepidopteran larvae)
 - [Cabbage white butterfly](#)
 - [Loopers](#)
 - [Leaf rollers](#)
 - [Porina caterpillar](#)
 - [Armyworm](#)
 - [Bag moth](#)
 - And others

Directions

1. Dilute 1 sachet (2.5g) per 5 litres of clean water. (Each box contains 4 sachets).
2. Apply using a pressure sprayer.
3. Spray entire plant until just wet.
4. Apply spray every 3 - 14 days from when insects start to appear or as required. Apply to leaves on both the upper and lower surfaces, but avoid over wetting.
5. Best applied in the morning and evening. Avoid over wetting

Available As

Sizes: Box of 4 x 2.5 g sachets.

Active Ingredients

37000 International Units *Bacillus thuringiensis* sub-species kurstaki (Btk) /mg. i.e. each sachet contains 92.5 million International Units of Btk.

For Best Results

- Apply at first sign of newly hatched caterpillars.
- Re-apply as necessary and check for caterpillars regularly.
- During periods of high temperatures, caterpillars will progress through early instars very rapidly and early application timing is necessary for control.
- To be effective, [Organic Caterpillar Bio-Control](#) spray must be deposited at the caterpillar feeding site. In tomatoes when plant cover is dense, and larvae are feeding in the lower 2/3 portion of the plant, application of Organic Caterpillar Bio-Control from above may not provide adequate control so try and spray undersides of leaves.

Caution

- Do not use in conjunction foliar nutrients, liquid fertilisers, Bordeaux mixture.
- Wash treated crops before eating. No withholding period.

Regulations

Registered Pursuant to the ACVM Act 1997 No P8021.

HSNO Approval code: HSR000699.

Kiwicare BioGro® Number 4850 (See kiwicare.co.nz for certificates)

Last Updated: June 2019

Kiwicare.co.nz

For information, advice and our interactive
problem solver

Kiwicare Corporation Limited

225 Maces Road, Bromley, Christchurch
Phone (03) 389-0778