

KIWICARE®

Technical Sheet

Weed Weapon Long Term

Kills weeds and prevents growth for up to 12 months.



www.kiwicare.co.nz

Weed Weapon Long Term

About

[Weed Weapon Long Term](#) contains 3 active ingredients:

- Glyphosate controls existing weeds by moving into the weed and down to the roots.
- Saflufenacil moves into the leaves of existing weeds and blocks photosynthesis causing rapid damage to green parts of the plant this allows glyphosate to enter and assists its movement to the roots.
- Terbutylazine affects both existing weeds and stays active in soil preventing new weeds seeds germinating and reaching the surface.



Benefits and Features

- Ideal for the control of weeds in driveways, paths and fence lines.
- For long term weed control, kills current growth and prevents weed seeds germinating.
- Up to 365 days prevention.
- Rain fast in 2 hours.
- Can be used all year round.

Controls

- | | | | |
|----------------------------------|-----------------------------------|--|---------------------------------|
| • Agapanthus | • Cornbind | • Groundsel | • Spurrey |
| • Annual grasses | • Cut-leaved geranium | • Hawksbeard | • Tradescantia |
| • Bindweed | • Daisies | • Ivy | • Twincross |
| • Bittercress | • Dandelion | • Nettle | • Wandering Jew |
| • Blackberry | • Docks | • Onion weed | • Wild portulaca |
| • Broom | • Fathen | • Oxalis spp. | • Wild turnip |
| • Carrot weed | • Field bindweed | • Plantain | • Willow weed |
| • Chickweed | • Field speedwell | • Red deadnettle | • Wireweed |
| • Redroot | • Fumitory | • Scrambling fumitory | • Yarrow |
| • Cleavers | • Galinsoga | • Scrambling speedwell | |
| • Clovers | • Gorse | • Shepherd's purse | ... and more |
| • Convolvulus | • Grasses | • Sow thistle | |

Ideal Uses

Waste areas, roadsides, paths, driveways and other non-cultivated areas where weeds are to be suppressed for extended periods.

Directions

Concentrate

1. Shake well before use.
2. Dilute 25 ml in 1 L water. (1 L mix covers 10 m²)
3. Apply using a pressure sprayer onto weed foliage until just wet.
4. Spray ground where weeds tend to grow and long term prevention is required (e.g. gaps between pavers, gravel driveways and paths).

For best results

- For post-emergent control apply when weeds are actively growing. Expect visible effects in as little as two days* with the concentrate.
- For pre-emergent control use at any time but longest control is achieved with spring application.

Tips & Tricks

- Effects can take up to 7 days to show on some tough weeds or weeds in deep shade. In these cases a second application is recommended after 7 days.
- Do not use product if you intend replanting.
- Best applied in sunny weather with temperatures over 10°C.
- Spray in calm conditions to reduce the chance of overspray onto desirable plants. If desirable plants are sprayed, immediately hose off with water.

Caution

Not for use in areas to be cultivated.

Active Ingredients

Concentrate: 300 g/L Terbuthylazine, 141 g/L Glyphosate and 1.43 g/L Saflufenacil.

Ready to Use: 7.5 g/L Terbuthylazine, 3.5 g/L Glyphosate and 0.036 g/L Saflufenacil

Registration

Concentrate: HSNO Approval Code HSR100934

Ready to Use HSNO Approval Code HSR100935

Available As

Ready to Use: 1 L

Pump & Spray: 4 L

Concentrate: 250 ml, 500 ml, 1 L, 5 L, 20 L

Related Products

- [Weed Weapon Extra Strength](#)
- [Weed Weapon Preventer](#)
- [Weed Weapon Natural Power](#)

Last Updated: March 2018

Kiwicare.co.nz

For information, advice and our interactive
problem solver

Kiwicare Corporation Limited
225 Maces Road, Bromley, Christchurch
Phone (03) 389-0778